United States Department of Agriculture

Forest Service

United States Department of the Interior

Bureau of Land Management

Interior Columbia Basin Supplemental Draft Environmental Impact Statement

Appendix 5 - Terrestrial Source Habitat Acreage Table

March 2000

Interior Columbia Basin Ecosystem Management Project
Supplemental Draft Environmental Impact Statement

Lead Agencies

USDA Forest Service; Intermountain, Pacific Northwest, and Northern Regions
USDI Bureau of Land Management; Idaho, Montana, Oregon, and Washington

For further information contact:

Susan Giannettino, Project Manager
304 N. 8th Street, Room 250
Boise, ID 83702
Telephone 208/334-1770;
Fax 208/334-1769

Geoff Middaugh, Deputy Project Manager
P.O. Box 2344
Walla Walla, WA 99362
Telephone 509/522-4033;
Fax509/522-4025

As the Nations principal conservation agency, the Department of the Interior has responsibility for most of nationally owned public lands and natural resources. This includes fostering the wisest uses of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to assure that their development is in the best interest of all our people. The Department also has a major responsibility for American Indian reservation communities and for people who live in Island Territories under U.S. administration.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (Braille, large print, audio tape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W. Whitten Building 1400 Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ICBEMP Supplemental Draft EIS

Table of Contents
Appendix 5 - Terrestrial Source Habitat Acreage Table

Introduction 5-4

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres) .. 5-5

Introduction

This appendix provides information on terrestrial source habitats for Terrestrial Families 1 through 12 (see Chapter 2 for a description of the species in each Terrestrial Family and the habitats they rely upon).

In the following table, column 2 shows the cover type for each structural stage shown in column 1. The Terrestrial Family(ies) that use those cover type-structural stage combinations are in column 3. Columns 4 and 5 show the acreage, historically and currently, of the cover type-structural stages on all lands across the project area (see superscript 2 on the following table). Columns 6 through 18 break down the information by ecological reporting unit (ERU; shown on Map 2-1 in Chapter 2). This information was not calculated for Resource Advisory Council/Provincial Advisory Committee (RAC/PAC) areas, also shown on Map 2-1. The top number in those columns shows the percent of the ERU containing the cover type-structural stage combination historically, the middle number is the current percentage, and the bottom number is the percent change from historical to current.

An asterisk next to the percent change (bottom number in columns 6 through 18) signifies management significance, as determined by the EIS Team. To receive an asterisk, the geographic extent of the existing cover type-structural stage had to be at least 20 percent larger or smaller than its historical extent. (If the percent change in geographic extent was at least 20 percent, but the *absolute* change was 0.05 or less, then the percent change did not receive an asterisk and was not deemed to have management significance).

Vegetation cover types (in the second column) received an asterisk if the EIS Team determined the cover type-structural stage combination declined substantially in geographic extent from the historical to current period at the broad scale. This determination was made if the cover type-structural stage (1) had a net decline in geographic extent in the project area of at least 20 percent from the historical to current period, and (2) had a decline in geographic extent from the historical to current period on at least 50 percent of the ERU.

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres).

Structural Stage	Cover Type	Terrestrial Families[1]	Historical Acres[2]	Current Acres[2]	Ecological Reporting Units[3] (percent) 1	2	3	4	5	6	7	8	9	10	11	12	13
Stand Initiation	Pacific Silver Fir-Mountain hemlock	2, 3, 5, 6, 7	4,446	382,266	0.06 5.73 >100*	0.01 0.57 >100*	0.01 0 -100	NA[4]	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-white fir	2, 3, 4, 5, 6, 7	124,780	281,925	0.03 0.08 >100	0 0.20 >100*	0.01 0.12 >100*	0 0.01 >100	0.03 0.04 27	0.01 0.58 >100*	0.03 0.41 >100*	0.11 0.39 >100*	Trace[4]	NA	NA	NA	0.50 0.42 -17
	Whitebark Pine-Alpine Larch*	3, 5, 7	91,908	2,223	0.04 0.04 0	NA	NA	NA	NA	0.01 0 -100	0.23 0 -100*	0.03 0 -100	0.05 0 -100	NA	NA	NA	0.22 0 -100*
	Mountain hemlock	2, 3, 5, 6, 7	26,932	53,123	0.28 0.63 >100*	0.12 0.11 -6	0.13 0 -100*	NA	0 0.01 >100	NA	Trace	0 0.11 >100*	NA	NA	NA	NA	NA
	Engelmann spruce-Subalpine fir	2, 3, 4, 5, 6, 7	1,330,636	2,502,162	0.60 3.16 >100*	0.31 1.24 >100*	0.14 0.08 -45*	Trace	0.02 0.01 -5.3	0.09 1.27 >100*	1.62 1.29 -20*	5.37 1.39 -74*	1.76 2.96 68*	0 0.02 >100	0.01 0 -100	0.37 4.08 >100*	2.45 6.62 >100*
	Whitebark Pine*	3, 5, 7	301,936	38,053	0.19 0 -100*	0.08 0.01 -82*	0.03 0 -100	NA	Trace	0.07 Trace -97*	0.42 0 -100*	0.24 0 -100*	0.46 0 -100*	NA	NA	0.01 0.14 >100*	0.80 0.14 -83*
	Interior Douglas-fir	2, 3, 4 5, 6, 7, 8	1,830,267	1,496,437	4.01 3.7 -8	5.46 3.82 -30*	0.55 0.02 -97*	Trace	0.08 0.03 -63	0.32 0.46 47*	1.25 1.44 15	1.62 1.00 -38*	2.26 0.68 -70*	0 0.01 >100	0.07 0.01 -92*	1.54 4.74 >100*	3.70 1.97 -47*
	Western larch*	2, 3, 4, 5 , 6, 7, 8	1,385,507	177,410	0.13 0 -100*	0.08 0 -100*	0.02 0 -100	0.01 0 -100	0.09 Trace -96*	0.04 0 -100	4.63 0.68 -85*	7.56 0.56 -93*	0.41 0 -100*	NA	NA	NA	0.11 0.11 0
	Western white pine*	2, 3, 5, 6, 7, 8	713,145	3, 459	NA	0.01 0 -100	NA	NA	0.16 0 -100*	NA	0.79 0.02 -98*	8.07 0 -100*	NA	NA	NA	NA	Trace
	Aspen	2, 3, 4, 5, 6, 7, 8	108,965	471,955	0.01 0.02 100	NA	NA	0 0.10 >100*	0.01 0.02 100	0.01 0.17 >100*	0 0.03 >100	0 0.05 >100	0.10 0.10 9	0.03 0.11 >100*	0.14 0.34 >100*	1.24 3.57 >100*	0 0.67 >100*
	Lodgepole pine*	2, 3, 4, 5, 7	3,198,249	2,023,023	3.12 10.01 >100*	2.46 3.29 34*	1.40 0.06 -96*	0.65 0.04 -95*	0.09 0.04 -51	0.19 0.43 >100*	6.16 1.17 -81*	7.11 1.13 -84*	6.60 1.35 -79*	Trace	0.01 Trace -50	2.38 3.21 35*	3.38 3.17 -6
	Western redcedar-Western hemlock	2, 3, 5, 6, 7	13,587	26,185	0.10 0.01 -88*	0.21 0.01 -93*	0.01 0 -100	NA	NA	NA	0 0.10 >100*	0 0.09 >100*	NA	NA	NA	NA	0 0.01 >100
	Interior ponderosa pine*	2, 3, 4, 5, 6, 7, 8, 10	1,588,319	353,342	0.49 1.43 >100*	0.89 0.26 -70*	1.5 0.01 -100*	0.20 0.02 -89*	0.62 0.10 -84*	1.08 0.36 -67*	2.13 0.32 -85*	3.77 0.03 -99*	2.09 0.23 -89*	0.09 0.02 -73*	0.03 0 -100	0.02 0 -100	2.01 0.54 -73*
	Sierra Nevada mixed-conifer	2, 3, 5, 7, 8	5,435	247	0.04 Trace -89	0.03 0 -100	0.04 0 -100	0.01 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Pacific ponderosa pine	2, 3, 5, 6, 7, 8	6,175	17,295	0.04 0.27 >100*	NA	0.08 0 -100*	Trace	Trace	NA	NA	NA	NA	NA	NA	NA	NA
Stem Exclusion Open-Canopy Forest	Whitebark pine-Alpine larch*	5, 7	50,640	988	0.04 0.02 -64	NA	NA	NA	NA	Trace	0.13 0 -100*	Trace	0.02 0 -100	NA	NA	NA	0.12 0 -100*

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres). (continued)

Structural Stage	Cover Type	Terrestrial Families[1]	Historical Acres[2]	Current Acres[2]	Ecological Reporting Units[3] (percent) 1	2	3	4	5	6	7	8	9	10	11	12	13
	Interior ponderosa pine	2, 5, 6, 7	1,575,263	3,738,172	1.21 3.72 >100*	2.89 0.94 -67*	8.29 5.16 -38*	0.74 0.80 8	0.95 2.87 >100*	1.02 4.46 >100*	1.42 4.94 >100*	0.46 1.38 >100*	1.68 4.28 >100*	0.04 0.26 >100*	0.05 0.19 >100*	0.05 0.13 >100*	1.30 3.41 >100*
Stem Exclusion Pacific Closed-Canopy Forest	silver fir-Mountain hemlock	3, 7	5,434	19,025	0.06 0.29 -100*	0.03 0.02 -25	0.01 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-White fir	3, 5, 7	141,333	2,443,367	0.02 0.22 >100*	0.01 0.01 -50	0.02 0 -100	NA	0.07 0.66 >100*	0.28 0.01 -98*	0.09 4.5 >100*	0.04 15.58 >100*	0.01 0.81 >100*	NA	NA	NA	0.34 2.03 >100*
	Mountain hemlock	3, 5, 7	53,370	135,657	0.59 1.21 >100*	0.27 0.07 -74*	0.17 -100*	NA 0	NA	NA	Trace	0.81 0 >100*	NA	NA	NA	NA	0 0.01 >100
	Engelmann spruce-Subalpine fir	3, 5, 7	1,448,479	2,065,522	2.92 0.57 -81*	0.49 0.06 -88*	0.22 0 -100*	NA	0.02 0 -100	0.45 0.01 -98*	1.00 2.40 >100*	0.63 3.89 >100*	1.31 10.84 >100*	Trace	0.07 0 -100*	1.22 4.05 >100*	3.96 2.34 -41*
	Whitebark pine*	3, 5, 7	122,294	3,458	0.19 Trace -98*	0.06 0 -100*	0.04 0 -100	NA	Trace	0.08 0 -100*	0.22 0.01 -97*	0.03 0 -100	0.13 0 -100*	NA	NA	NA	0.24 0.01 -95*
	Interior Douglas-fir*	3, 5, 6, 7	4,045,819	2,602,243	7.03 2.4 -68*	6.85 0.90 -87*	0.51 0 -100*	0.01 0 -100	0.19 0.07 -63*	1.22 0 -100*	2.41 4.67 93*	1.81 5.43 >100*	7.86 7.56 -4	0.02 Trace -88	0.19 0.19 0	4.00 7.27 82*	9.29 1.61 -83*
	Western larch	3, 6, 7	1,826,826	1,617,780	1.01 0 -100*	0.74 0.03 -96*	0.20 0 -100*	0.07 0 -100*	0.09 0.42 >100*	0.10 0 -100*	6.85 3.24 -53*	6.72 13.23 97*	0.62 0.01 -99*	NA	NA	NA	0.13 0.38 >100*
	Western White pine*	3, 5, 7	854,487	91,177	0.06 0.04 -33	NA	NA	NA	0.22 0 -100*	NA	0.84 0.40 -52*	9.80 0.04 -100*	0 0.01 >100	NA	NA	NA	0 0.09 >100*
	Aspen	3, 5, 7	663, 469	583,401	NA	NA	NA	0.12 0 -100*	0.02 0 -100	0.04 0 -100	0 0.02 >100	0.01 0.12 >100*	0.11 0.53 >100*	0.26 0.01 -95*	1.06 0.14 -86*	7.41 7.27 -2	0.05 0.25 >100*
	Lodgepole pine	3, 7	4,123,169	3,514,049	3.88 6.14 58*	4.59 0.06 -99*	2.47 0 -100*	0.57 0 -100*	0.16 Trace -99*	0.87 0 -100*	4.92 3.67 -25*	4.98 7.96 60*	13.32 19.98 50*	Trace	0.03 0.07 >100	5.30 3.54 -33*	5.59 2.90 -48*
	Western redcedar-Western hemlock	3, 5, 6, 7	34,098	604,665	0.25 0.05 -78*	0.52 0.03 -94*	0.02 0 -100	NA	0 0.12 >100*	NA	0 1.47 >100*	0 2.63 >100*	NA	NA	NA	NA	0 0.71 >100*
	Cottonwood-Willow	5, 6, 7	1,482	4,199	NA	NA	NA	NA	0 0.01 >100	NA	NA	NA	NA	Trace	NA	NA	0.01 0.01 80
	Interior ponderosa pine*	6, 7	5,015,229	1,201,653	6.39 0.60 -91*	7.43 0 -100*	6.90 0 -100*	1.48 0 -100*	1.51 0.02 -98*	8.52 0 -100*	5.80 1.52 -74*	6.12 3.42 -44*	3.85 5.58 45*	0.10 0 -100*	0.02 0.01 -67	0.02 Trace -75	4.24 1.73 -59*
	Sierra Nevada mixed-conifer*	7	17,048	0	0.03 0 -100	0.11 0 -100*	0.23 0 -100*	0.03 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA

	Pacific ponderosa pine*	7	41,753	7,164	0.30 0.11 -62*	0.03 0 -100	0.46 0 -100*	0.04 0 -100	Trace	NA	NA	NA	NA	NA	NA	NA	NA
Understory Forest Reinitiation	Pacific silver fir-Mountain hemlock	2, 3, 5, 6, 7	5,928	75,115	0.09 1.10 >100*	0.01 0.15 >100*	0.01 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-White fir	2, 3, 5, 6, 7	93,390	1,121,096	0.11 0.23 >100*	0.04 0.01 -60	0.01 0 -100	NA	0.04 0.13 >100*	0.17 0.08 -49*	0.06 2.74 >100*	0.04 5.55 >100*	0 0.07 >100*	NA	NA	NA	0.20 1.08 >100*
	Whitebark pine-Alpine larch*	2, 3, 5, 7	51,632	11,118	0.01 0.18 >100*	NA	0.03 0 -100	NA	NA	NA	0.14 0 -100*	Trace	0.01 0 -100	NA	NA	NA	0.12 0 -100*
	Mountain hemlock	2, 3, 5, 6, 7	24,703	95,627	0.25 1.37 >100*	0.11 0.01 -94*	0.12 0 -100*	NA	NA	NA	0 0.01 >100	0 0.12 >100*	NA	NA	NA	NA	NA
	Engelmann spruce-Subalpine fir	2, 3, 5, 6, 7	567,072	1,244,407	1.09 0.57 -48*	0.26 0.10 -61*	0.13 0 -100*	NA	0.02 0 -100	0.10 0.03 -67*	0.75 3.41 >100*	0.43 0.87 >100*	0.81 1.59 97*	NA	0.04 0 -100	1.68 1.65 -2	0.75 1.77 >100*
	Whitebark pine*	2, 3, 5, 7	127,477	1,976	0.41 0 -100*	0.16 0.02 -87*	0.06 0 -100*	NA	Trace	0.04 0 -100	0.17 0.01 -96*	0.01 0 -100	0.15 0 -100*	NA	NA	0.05 0 -100	0.23 0 -100*
	Interior Douglas-fir	2, 3, 5, 6, 7	564,585	1,700,797	1.35 3.09 >100*	1.00 0.42 -59*	0.11 0 -100*	NA	0.01 0.01 -9	0.40 0.03 -93*	0.36 6.65 >100*	0.35 1.61 >100*	1.54 1.05 -31*	NA	0.01 0 -100	2.12 0.90 -57*	0.38 0.57 52*
	Western larch	2, 3, 5, 6, 7	306,633	1,360,293	0.10 0 -100*	0.27 0.01 -97*	0.24 0 -100*	0.07 0 -100*	0.02 0.04 >100	0.03 0 -100	0.80 5.80 >100*	1.44 4.89 >100*	0.34 0 -100*	NA	NA	NA	0.06 0.13 >100*
	Western white pine*	2, 3, 5, 6, 7	156,161	11,362	NA	0.01 0 -100	NA	NA	0.04 0 -100	NA	0.22 0.05 -77*	1.65 0 -100*	NA	NA	NA	NA	0 0.01 >100
	Aspen*	2, 3, 5, 6, 7	364,962	167,030	0.02 0.06 >100	NA	NA	Trace	0.01 0 -100	0.01 0.01 -29	0 0.06 >100*	0 0.05 >100	0.02 0.24 >100*	NA	1.32 0.02 -98*	3.26 1.74 -47*	0.17 0.10 -45*
	Lodgepole pine	2, 3, 5, 7	1,630,358	2,375,654	3.47 3.12 -10	3.76 0.24 -94*	1.45 0.01 -100*	0.31 0 -100*	0.14 Trace -99*	0.23 0.08 -67*	1.02 8.00 >100*	0.99 3.75 >100*	2.28 3.07 34*	NA	0.05 0 -100	10.06 0.49 -95*	0.47 1.62 >100*
	Western redcedar-Western hemlock	2, 3, 5, 6, 7	12,106	196,438	0.10 0.03 -69*	0.16 0 -100*	0.01 0 -100	NA	0 0.02 >100	NA	0 0.47 >100*	0 1.19 >100*	NA	NA	NA	NA	0 0.14 >100*
	Cottonwood-Willow*	3, 5, 6, 7	10,378	247	NA	0.22 0 -100*	NA	NA	NA	0.02 0 -100	Trace	NA	NA	NA	NA	NA	NA
	Interior ponderosa pine	2, 3, 5, 6, 7	337,517	980,000	0.11 1.48 >100*	2.08 0 -100*	2.12 0 -100*	0.17 0 -100*	0.08 0.24 >100*	0.36 0.03 -92*	0.11 2.56 >100*	0.25 0.95 >100*	0.34 3.52 >100*	NA	0.01 0 -100	0.11 0.02 -83*	0.16 0.61 >100*
	Sierra Nevada mixed-conifer*	2, 3, 5, 7	17,295	0	0.01 0 -100	0.10 0 -100*	0.25 0 -100*	0.03 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Pacific ponderosa pine	2, 3, 5, 6, 7	247	7,165 0.11	0 >100*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres) (continued).

Structural Stage	Cover Type	Terrestrial Families[1]	Historical Acres[2]	Current Acres[2]	Ecological Reporting Units[3] (percent) 1	2	3	4	5	6	7	8	9	10	11	12	13
Old Multi-strata Forest	Pacific Silver Fir-Mountain hemlock	2, 3, 5, 6, 7	6,422	89,450	0.09 1.35 >100*	0.01 0.04 >100	0 0.07 >100*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-White fir	2, 3, 5, 6, 7	216,450	1,371,898	0.02 0.89 >100*	0.02 1.00 >100*	0.04 3.19 >100*	0 0.66 >100*	0.12 0.21 77*	0.35 4.44 >100*	0.30 0.34 16	0.14 0.35 >100*	0.02 Trace -80	0 0.01 >100	NA	NA	0.40 1.96 >100*
	Whitebark pine-Alpine larch*	2, 3, 5, 7	85,734	3,212	0.04 0.05 44	NA	NA	NA	NA	0.01 0 -100	0.29 0 -100*	0.02 0 -100	0.06 0 -100*	NA	NA	NA	0.14 0 -100*
	Mountain hemlock*	2, 3, 5, 6, 7	96,615	27,921	1.10 0.25 -77*	0.39 0.17 -56*	0.34 0.16 -53*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Engelmann spruce-Subalpine fir*	2, 3, 5, 6, 7	1,377,819	612,064	0.52 0.23 -57*	0.52 0.77 48*	0.32 1.21 >100*	0 0.02 >100	0.02 0.01 -78	0.29 0.55 88*	2.65 0.05 -98*	0.69 0.04 -95*	1.50 0.10 -93*	Trace	0.04 0 -100	6.17 0.65 -89*	1.37 1.94 41*
	Whitebark pine*	2, 3, 5, 7	221,867	1,482	0.44 0 -100*	0.11 0.01 -94*	0.08 0.01 -92*	NA	NA	0.08 0 -100*	0.40 0 -100*	0.03 0 -100	0.29 0 -100*	NA	NA	0.01 0 -100	0.44 Trace -99*
	Interior Douglas-fir	1, 2, 3, 5, 6, 7	1,741,550	1,876,978	3.83 4.65 21*	4.36 6.17 41*	0.29 8.15 >100*	0 0.78 >100*	0.08 0.37 >100*	0.91 3.83 >100*	2.35 0.24 -90*	0.65 0.07 -89*	2.37 0.09 -96*	0.01 0.01 -17	0.09 0 -100*	2.99 0.55 -82*	2.06 1.56 -24*
	Western larch*	1, 2, 3, 5, 6, 7	1,431,224	119,589	0.56 Trace -99*	0.27 0 -100*	0.04 0 -100	0.01 0 -100	0.05 0 -100	0.18 0 -100*	6.02 0.34 -94*	3.95 0.40 -90*	0.68 0 -100*	NA	NA	NA	0.06 0.17 >100*
	Western white pine*	2, 3, 5, 6, 7	865,111	7,411	NA	NA	NA	NA	0.16 0 -100*	NA	1.95 0.01 -100*	7.38 0 -100*	NA	NA	NA	NA	0 0.03 >100
	Lodgepole pine	2, 3, 5, 6, 7	1,195,437	1,357,078	3.02 2.01 -33*	0.77 6.07 >100*	0.54 5.42 >100*	0.07 0.97 >100*	0.06 0.07 21	0.67 1.04 55*	1.49 0.17 -88*	0.63 0.10 -85*	1.47 0.23 -85*	NA	0.01 0 -100	4.72 0.05 -99*	0.79 2.52 >100*
	Western redcedar-Western hemlock	2, 3, 5, 6, 7	29,650	55,838	0.22 0.12 -46*	0.44 0.03 -93*	0.01 0 -100	NA	NA	NA	0 0.04 >100	0 0.27 >100*	NA	NA	NA	NA	0 0.11 >100*
	Cottonwood-Willow*	1, 2, 3, 5, 6, 7, 9	58,810	6,425	NA	0.01 0 -100	NA	NA	0.12 0.03 -77*	NA	0.11 0 -100*	NA	NA	NA	NA	0.06 0 -100*	0.04 0 -100
	Interior ponderosa pine*	1, 2, 3, 5, 6, 7	3,097,417	2,028,207	3.91 1.39 -64*	5.31 3.01 -43*	7.96 14.93 88*	1.02 1.16 14	1.02 1.21 19	4 3.38 -16	3.08 0.11 -96*	3.57 0 -100*	3.14 0.10 -97*	0.02 0.01 -46	0.02 0 -100	0.02 0 -100	2.74 1.96 -28*
	Sierra Nevada mixed-conifer*	1, 2, 3, 5, 6, 7	6,916	247	0.01 Trace -50	0.09 0 -100*	0.06 0 -100*	0.01 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Pacific ponderosa pine*	1, 2, 3, 5, 6, 7	28,413	17,786	0.27 0.04 -87*	0.04 0.01 -83	0.23 0.27 17	0.01 0.05 >100	Trace	NA	NA	NA	NA	NA	NA	NA	NA

Old Single-strata Forest	Grand Fir-White Fir	2, 3, 5, 6, 7	0	269,084	0 1.01 >100*	0 1.76 >100*	NA	NA	0 0.06 >100*	0 0.47 >100*	Trace	0 0.19 >100*	NA	NA	NA	NA	0 0.28 >100*
	Mountain hemlock	2, 3, 5, 6, 7	741	4,446	0.01 0.05 >100	0 0.04 >100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Whitebark pine	2, 3, 5, 7	823,816	1,119,618	0.36 0.11 -71*	0.06 0.06 -11	0.60 0.66 11	0.14 0.15 7	Trace	0.51 0.27 -47*	0.56 1.41 >100*	0.10 0.06 -38	0.39 0.46 18	0 0.02 >100	NA	0.63 0.88 40*	2.62 3.46 32*
	Interior Douglas-fir	2, 3, 5, 6, 7	899,170	823,085	1.35 0.37 -73*	1.49 6.92 >100*	0.03 6.79 >100*	0 0.26 >100*	0.04 0.04 18	0.32 0.32 2	1.22 0.01 -99*	0.27 0.06 -80*	1.84 0 -100*	0.01 0.08 >100*	0.10 0.04 -55*	1.23 1.83 49*	1.43 0.37 -74*
	Western larch*	2, 3, 5, 6, 7	141,083	4,448	0.04 0 -100	NA	NA	NA	0 0.01 67	0.01 0 -100	0.67 0 -100*	0.27 0.05 -82*	0.07 0 -100*	NA	NA	NA	Trace
	Western white pine	2, 3, 5, 6, 7, 8	1,482	1,730	NA	NA	NA	NA	NA	NA	0.01 0 -100	NA	NA	NA	NA	NA	0 0.01 >100
	Lodgepole pine*	2, 3, 5, 6, 7	86,472	42,250	0.09 0 -100*	NA	NA	NA	0 0.01 >100	0.21 0.20 -2	0.06 0 -100*	0.03 0 -100	0.26 0 -100*	NA	NA	0 0.02 >100	0.13 0.06 -54*
	Western Redcedar-Western Hemlock	2, 3, 5, 6, 7	0	79,563	0 0.04 >100	0 1.04 >100*	0 0.03 >100	NA	0 0.01 >100	NA	0 0 >100	0 0.16 >100*	NA	NA	NA	NA	0 0.14 >100*
	Interior ponderosa pine*	1, 2, 3, 5, 6, 7, 8	7,959,227	1,452,220	11.49 0.35 -96*	16.11 7.27 -99*	21.49 17.69 -100*	3.66 2.59 -100*	3.12 0.18 -96*	15.47 0.59 73	7.95 0.05 >100	6.93 0 -88*	3.45 0	0.17 0.01	0.04 0.08	0 0.05	3.56 0.42
-97*	-55*	-18	-29*	-94*													
	Sierra Nevada mixed conifer	1, 2, 3, 5, 6, 7	988	3,707	0.01 0 -100	0.01 0 -100	0 0.10 >100*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Pacific ponderosa pine	1, 2, 3 , 5, 6, 7, 8	71,407	105,016	0.52 0.17 -67*	0.04 0.39 >100*	0.81 1.54 91*	0.03 0.19 >100*	0.01 0.01 -44	NA	NA	NA	NA	NA	NA	NA	NA
Young Multi-strata Forest Unmanaged	Pacific silver fir-Mountain hemlock	2, 3, 5, 6, 7	8,895	741	0.12 Trace -97*	0 0.01 1	0.03 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-White fir	2, 3, 5, 6, 7	90,679	116,129	Trace	0 0.03 3	0.01 0.01 0	0 0.01 >100	0.06 0.06 7	0.14 0.69 >100*	0.04 0.01 -78	0.06 0 -100*	0.01 0 -100	NA	NA	NA	0.23 0.06 -76*
	Whitebark pine-Alpine larch*	2, 3, 5, 7	107,477	0	Trace	NA	NA	NA	Trace	0.06 0 -100*	0.42 0 -100*	Trace	0.07 0 -100*	NA	NA	NA	0.11 0 -100*
	Mountain hemlock	2, 3, 5, 7	10,375	741	0.13 0.01 -91*	0.03 0 -100	0.03 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Engelmann spruce-Subalpine fir*	2, 3, 5, 7	1,048,162	161,348	3.81 0.13 -97*	3.37 0.31 -91*	0.67 0 -100*	NA	0.01 Trace -90	0.17 0.06 -68*	1.38 0 -100*	0.68 0 -100*	1.35 0 -100*	Trace	0.06 Trace -95*	1.65 1.14 -31*	0.83 0.30 -64*
	Whitebark pine*	2, 3, 5, 7	322,693	5,930	1.58 0.06	0.20 0.01	0.06 0	NA	Trace	0.10 0	0.37 0	0.01 0	0.23 0	NA	NA	0.54 0.02	0.43 Trace

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres). (continued)

Structural Stage	Cover Type	Terrestrial Families[1]	Historical Acres[2]	Current Acres[2]	Ecological Reporting Units[3] (percent) 1	2	3	4	5	6	7	8	9	10	11	12	13
					-96*	-93*	-100*			-100*	-100*	-100	-100*			-97*	-99*
	Interior Douglas-fir	2, 3, 5, 6, 7	263,366	389,422	0.41 0.03 -93*	0.22 0.32 45*	0.10 0.03 -75*	0.01 0 -100	0.03 Trace -90	0.18 0.24 32*	0.35 0.06 -84*	0.01 0.01 0	0.23 0.02 -90*	0 0.04 >100	0 0.02 >100	0.58 3.69 >100*	0.41 0.40 -2
	Western larch*	2, 3, 5, 6, 7	182,348	3,211	1.17 0 -100*	0.89 0 -100*	0.13 0 -100*	0.03 0 -100	0.01 0 -100	0.02 0 -100	0.20 Trace -98*	0.44 0 -100*	0.03 0 -100	NA	NA	NA	0 0.01 >100
	Aspen	2, 3, 5, 6, 7	256,971	299,734	0.04 0 -100	NA	NA	0 0.01 >100	0.01 0.01 33	0.03 0.06 >100	Trace	Trace	0.09 0 -100*	0.09 0.05 -48	0.44 0.29 -35*	2.72 3.76 38*	0.05 0.04 -21
	Lodgepole pine	2, 3, 5, 6, 7	745,676	276,989	3.24 0.03 -99*	1.15 0.62 -46*	0.61 0.06 -91*	0.07 0 -100*	0.04 0.01 -81	0.19 0.33 76*	0.64 0.01 -99*	0.28 0 -100*	0.67 0.01 -98*	0.01 0 -100	0.01 Trace -67	1.69 0.38 -77*	0.78 0.89 15
	Western redcedar-Western hemlock*	2, 3, 5, 6, 7	12,352	988	0.10 Trace -96*	0.17 0.01 -92*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Trace
	Cottonwood-Willow	1, 2, 5, 6, 7	988	247	NA	NA	NA	NA	NA	NA	Trace	NA	NA	NA	NA	0.01 0 -100	Trace
	Interior ponderosa pine	1, 2, 3, 5, 6, 7	125,010	287,617	0.07 0.03 -59	0.62 0.26 -59*	0.35 0 -100*	0.03 0.04 21	0.06 0.04 -33	0.13 0.52 >100*	0.01 0.02 89	0.02 0.01 -33	0.14 0.04 -68*	0.05 Trace -95	0.03 0 -100	NA	0.14 0.94 >100*
	Sierra Nevada mixed-conifer	2, 3, 5, 6, 7	5,434	0	0.01 0 -100	0.04 0 -100	0.06 0 -100*	0.01 0 -100	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Pacific Ponderosa Pine	2, 3, 5, 6, 7	494	2,471	NA	0 0.01 1	0.01 0.04 >100	0 0 >100	NA	NA	NA	NA	NA	NA	NA	NA	NA
Young Multi-strata Forest Managed	Pacific silver fir-Mountain hemlock	3, 5, 7	0	5,436	0 0.02 >100	0 0.13 >100*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Grand fir-White fir	3, 5, 7	0	1,494,726	0 1.61 >100*	0 0.97 >100*	0 0.01 >100	0 0.17 >100*	0 1.04 >100*	0 4.78 >100*	0 0.95 >100*	0 1.00 >100*	0 0.02 >100	0 0.03 >100	NA	NA	0 1.28 >100*
	Whitebark pine-Alpine larch*	3, 5, 7	0	3,459	0 0.05 >100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Mountain hemlock	3, 5, 7	0	8,893	0 0.10 >100*	0 0.07 >100*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Engelmann spruce-Subalpine fir	3, 5, 7	0	149,734	0 0.02 >100	0 0.06 >100*	NA	NA	0 0 >100	0 0.09 >100*	0 0.04 >100	Trace	0 0.27 >100*	Trace	Trace	0 0.36 >100*	0 0.43 >100*
	Whitebark pine	3,5,7	0	5,681	0 0.01 >100	NA	NA	NA	Trace	NA	0 0.03 >100	NA	NA	NA	NA	NA	NA
	Interior Douglas-fir	3, 5, 6, 7	0	2,999,317	0 4.15 >100*	0 7.73 >100*	0 0.21 >100*	0 0.24 >100*	0 0.57 >100*	0 5.23 >100*	0 2.55 >100*	0 0.27 >100*	0 1.54 >100*	0 0.32 >100*	0 0.32 >100*	0 10.21 >100*	0 1.70 >100*

	Western larch	3, 5, 7	0	105,754	NA	NA	NA	NA	0 0.07 >100*	NA	0 0.27 >100*	0 0.53 >100*	NA	NA	NA	NA	0 0.03 >100
	Western White Pine	3, 5, 7	0	494	NA	NA	NA	NA	NA	NA	Trace	NA	NA	NA	NA	NA	NA
	Aspen	3, 5, 7	0	1,068, 465	NA	NA	NA	0 0.02 >100	0 0.03 >100	0 0.05 >100	0 0.13 >100*	NA	NA	0 0.27 >100*	0 3.79 >100*	0 9.72 >100*	0 0.18 >100*
	Lodgepole pine	2, 3, 5, 7	0	881,385	0 0.91 >100*	0 4.93 >100*	0 1.35 >100*	0 0.49 >100*	0 0.22 >100*	0 0.50 >100*	0 0.52 >100*	0 0.40 >100*	0 1.30 >100*	NA	0 0.02 >100	0 0.38 >100*	0 1.09 >100*
	Western redcedar- Western hemlock	3, 5, 6, 7	0	7,412	0 0.02 >100	0 0.09 >100*	NA	NA	NA	NA	Trace	0 0.04 >100	NA	NA	NA	NA	NA
	Cottonwood-Willow	1, 5, 6, 7	0	14,825	NA	NA	NA	NA	0 0.04 >100	NA	NA	NA	NA	Trace	NA	NA	0 0.03 >100
	Interior ponderosa pine	1, 3, 5, 6, 7	0	4,523,243	0 8.85 >100*	0 13.03 >100*	0 0.44 >100*	0 1.62 >100*	0 2.96 >100*	0 9.72 >100*	0 4.41 >100*	0 1.32 >100*	0 3.43 >100*	0 0.06 >100*	Trace	0 0.02 >100	0 1.77 >100*
	Pacific ponderosa pine	3, 5, 7	0	110,701	0 0.71 >100*	0 0.08 >100*	0 1.21 >100*	0 0.13 >100*	0 0.01 >100	NA	NA	NA	NA	NA	NA	NA	NA
Woodland	Juniper woodlands	5, 6, 7, 8, 9, 10 ,11	152,698	208,297	0.01 0.01 0	0.01 0.01 0	0.43 0.43 0	0.05 0.05 0	0.07 0.07 0	NA	NA	NA	NA	0.40 0.63 58*	0.34 0.34 0	NA	0.03 0.08 >100
	Mixed conifer woodlands*	2, 3, 5, 6, 7, 8, 9, 10 ,11	1,353,541	711,884	1.16 1.15 -1	1.62 1.20 -26*	1.07 2.89 >100*	0.20 0.26 30*	0.29 0.33 14	2.07 0.92 -55*	0.25 1.33 >100*	0.03 0 -100	2.75 0.34 -88*	0.06 Trace -98*	0.05 0 -100	0.99 0 -100*	2.73 0.08 -97*
	Juniper-Sagebrush	5, 6, 7, 8, 9, 10, 11	1,182,863	3,113,000	0.01 0.89 >100*	3.64 3.59 -1	2.17 6.10 >100*	0.44 2.05 >100*	2.74 7.14 >100*	0.63 2.16 >100*	Trace	NA	0.09 0 -100*	0.68 1.52 >100*	0.55 2.15 >100*	0.03 0.22 >100*	0.08 0.19 >100*
	Limber pine	2, 5, 6, 7	53,862	72,400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.27 0.36 34*
	Oregon white oak	1, 3, 5, 6, 7, 8, 9, 10	10,129	10,131	NA	0.29 0.29 0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Closed Herbland	Shrub or herb-Tree regen	2, 3, 5	313,574	464,540	0.04 0.09 >100	0.13 0.39 >100*	1.47 0.15 -90*	0.01 0.16 >100*	0 0.12 >100*	0 1.18 >100*	0 0.20 >100*	0 0.01 >100	0.05 0.05 -8	0 0.02 >100	0.22 0.04 -83*	2.56 0.29 -89*	0.29 0.91 >100*
	Herbaceous wetlands	5, 10 ,11, 12	309,865	248,086	NA	NA	NA	0.09 0.20 >100*	0.70 0.09 -87*	0.77 0.05 -94*	Trace	0 0.01 >100	NA	0.01 0.52 >100*	0 0.64 >100*	0.09 0.09 0	0.16 0.19 18
	Wheatgrass Bunchgrass*	3, 5, 8,10, 12	6,941,672	2,366,986	2.00 0.51 -74*	1.07 0.39 -63*	0.26 0.25 -2	0.60 2.07 >100*	17.00 6.36 -63*	4.97 2.17 -56*	2.25 0.34 -85*	0.38 0.13 -66*	5.46 1.76 -68*	0.84 3.64 >100*	4.65 14.20 >100*	2.57 2.28 -11	3.14 1.80 -43*
	Native forb	5, 8 ,10, 12	0	0	NA	0 0.02 >100	NA	NA	0 0 >100	NA	0 0 >100	NA	NA	NA	Trace	0 0.28 >100*	Trace
	Exotic forbs-Annual grass	10	0	2,494,497	0 0.14 >100*	0 0.01 >100	0 0.13 >100*	0 0.13 >100*	0 0.02 >100	0 0.11 >100*	0 0.03 >100	NA	0 0.08 >100*	0 0.21 >100*	0 1.12 >100*	0 0.09 >100*	0 0.09 >100*

Table 1. Terrestrial Family Cover Types and Structural Stages (Current and Historical Acres). (continued)

Structural Stage	Cover Type	Terrestrial Families[1]	Historical Acres[2]	Current Acres[2]	Ecological Reporting Units[3] (percent) 1	2	3	4	5	6	7	8	9	10	11	12	13
	Cropland-Hay-Pasture	None	0	13,472,172	0 6.24 >100*	0 5.94 >100*	0 6.83 >100*	0 2.35 >100*	0 44.46 >100*	0 17.40 >100*	0 11.75 >100*	0 3.24 >100*	0 8.80 >100*	0 11.77 >100*	0 32.52 >100*	0 8.65 >100*	0 5.46 >100*
	Fescue-Bunchgrass*	5, 8, 10, 12	7,985,422	3,761, 398	3.33 1.24 -63*	2.38 0.59 -75*	13.61 0.69 -95*	1.06 0.25 -76*	6.54 1.45 -78*	13.73 5.38 -61*	6.04 0.66 -89*	0.78 0.12 -84*	7.19 3.84 -47*	1.56 1.78 14	2.83 2.88 2	6.18 4.79 -22*	6.63 6.66 0.33
	Big sagebrush*	5, 8, 10, 11, 12	1,943,464	306,898	0.32 0 -100*	0.03 0 -100	NA	0.04 0 -100	5.13 0 -100*	NA	3.10 0 -100*	NA	NA	0.59 0 -100*	0.71 0 -100*	0.03 0 -100	0.01 0 -100
Open Herbland	Herbaceous wetlands	5, 10 ,11, 12	114,901	121,324	0.01 0 -100	0.25 0.27 9	1.12 0.70 -38*	0.01 0.02 75	0.05 0.06 30	NA	Trace	NA	0.15 0.42 >100*	Trace	NA	0.62 0.67 9	NA
	Wheatgrass bunchgrass*	3, 5, 8, 10, 12	2,741,374	681,730	0.04 0.01 -78	0.04 0.22 >100*	0 0.03 >100	0.07 0.41 >100*	4.27 0.77 -82*	1.34 0.31 -77*	0 0.22 >100*	NA	0 0.21 >100*	1.96 0.33 -83*	0.69 0.24 -66*	0.25 0.03 -88*	4.74 0.94 -80*
	Native forb	5 ,8 , 10, 12	2,223	11,860	0 0.01 >100	NA	NA	0 0.05 >100	0.17 0.07 -61*	0.02 0.17 >100*	0 0.02 >100	0 0.03 >100	0.11 0.01 -92*	0.28 0.05 -83*	0.21 0.14 -33*	0.19 0.06 -67*	0.05 0.11 >100*
	Exotic forbs-Annual grass	10	0	485,280	0 0.23 >100*	0 0.05 >100	0 0.21 >100*	0 0.16 >100*	0 0.48 >100*	0 0.31 >100*	0 0.19 >100*	NA	0 0.12 >100*	0 1.01 >100*	0 0.10 >100*	0 0.25 >100*	0 0.15 >100*
	Fescue-Bunchgrass*	5, 8, 10, 12	3,821,215	308,118	0.19 0.26 37*	0.18 0.14 -20	0.72 0.01 -98*	0.01 0.01 50	7.17 0.02 -100*	4.88 0.38 -92*	1.04 0.17 -84*	0.33 0.01 -98*	7.11 0.07 -99*	0.77 0.21 -73*	0.58 0.17 -71*	0.27 0.01 -97*	3.21 0.70 -78*
Agricultural	Cropland-Hay-Pasture	None	0	9,727,039	Information not contained within Appendix 1, Table 4 of Wisdom et al. (In press)												
Open Low-Medium Shrub	Shrub or herb-Tree regen	2, 3, 5	1,083,773	2,194,991	2.65 1.50 -43*	0.11 0.87 >100*	1.03 0.17 -83*	0.24 0.11 -55*	0.44 0.36 -19	0.90 0.84 -7	1.55 4.64 >100*	0.71 10.65 >100*	1.42 1.36 -4	0.04 0.10 >100*	0.07 0.07 -4	0.12 0.02 -81*	1.05 1.23 17
	Alpine tundra	3, 5	145,294	234,986	0.95 0.94 -1	0.26 0.26 0	0.04 0.04 0	0 0.05 >100	Trace	0.28 0.28 0	NA	NA	0.03 0.03 0	0 0.09 >100*	0 0.02 >100	0.55 0.96 73*	0 0.20 >100*
	Shrub wetlands*	3, 5, 6, 7, 12	802,591	304,928	NA	NA	0.03 0.15 >100*	1.32 2.54 91*	0.19 0 -100*	0.62 0.09 -86*	NA	0.03 0 -100	NA	2.67 0.08 -97*	0 0.10 >100*	NA	0.09 0.01 -92*
	Mountain mahogany*	5, 6, 7, 8, 9, 10, 11	27,919	0	NA	NA	NA	NA	0.02 0 -100	0.01 0 -100	NA	NA	NA	0.01 0 -100	NA	NA	0.10 0 -100*
	Mountain big sagebrush*	5, 7, 8, 10, 11, 12	4,701,654	36,568	1.72 0 -100*	0.99 0.10 -90*	4.65 0 -100*	0.88 0 -100*	4.59 0 -100*	2.60 0 -100*	0.81 0.04 -95*	NA	0.05 0.02 -67	13.50 0.11 -99*	0.01 0 -100	0.09 0 -100*	0.43 0.02 -96*
	Low sage	5, 7, 8, 10, 11, 12	2,631,415	2,744,586	NA	NA	1.24 0.02 -98*	3.55 3.66 3	0.03 0.03 0	0.10 0.10 0	NA	NA	Trace	8.58 8.91 4	3.46 3.50 1	0.01 0.01 0	1.10 1.51 37*
	Salt desert shrub	5, 7, 10, 11	1,044,262	2,116,949	Trace	0.14 0 -100*	1.07 0 -100*	2.56 10.35 >100*	0.43 0 -100*	0.21 0.55 >100*	NA	NA	NA	1.85 4.23 >100*	2.01 0.48 -76*	NA	0.37 0.53 46*
	Chokecherry-Serviceberry-Rose	2, 3, 4, 5, 6, 8, 11, 12	988	18,285	NA	NA	NA	NA	0 0 >100	NA	NA	NA	NA	Trace	0 0.17 >100*	NA	0 0.01 >100

	Big sagebrush*	5, 7, 8, 10, 11, 12	30,054,424	21,981,730	2.99 0.68 -77*	3.84 0.70 -82*	1.39 1.39 0	60.63 58.45 -4	25.50 17.82 -30*	8.51 6.77 -21*	0.09 0.06 -31	NA	0.02 0.02 0	45.93 38.57 -16	70.62 30.32 -57*	7.49 0.08 -99*	4.38 4.66 6
Closed Low-Medium Shrub	Shrub or herb-Tree regen	2, 3, 5	3,847,883	4,376,442	2.35 2.05 -13	2.11 3.73 77*	0.99 4.19 >100*	0.81 0.74 -8	1.31 0.99 -25*	8.42 8.57 2	3.39 2.78 -18	1.05 1.27 20*	3.17 5.06 59*	0.45 0.30 -34*	0.24 0.16 -32*	6.57 3.01 -54*	3.78 7.17 90*
	Alpine tundra*	3, 5	90,187	0	NA	NA	NA	0.05 0 -100	NA	NA	NA	NA	NA	0.09 0 -100*	0.02 0 -100	0.40 0 -100*	0.20 0 -100*
	Shrub wetlands	3, 5, 6, 7, 12	29,647	30,388	NA	NA	NA	NA	NA	NA	Trace	0.01 0.01 0	0.13 0.14 3	NA	NA	0.17 0.17 0	0.05 0.05 7
	Antelope bitterbrush-Bluebunch wheatgrass*	3, 5, 7, 10, 11	442,791	292,804	1.22 0.62 -49*	0.24 0.26 9	0.04 0.04 0	NA	0.62 0.48 -23*	Trace	0.60 0.40 -33*	NA	NA	0.51 0.28 -44*	0.09 0.08 -10	0 0.01 >100	Trace
	Mountain mahogany	5, 6, 7, 9, 10, 11	72,395	507,781	0 0.04 >100	0 0.01 >100	NA	0.01 0.17 >100*	0.07 0.61 >100*	0.07 0.39 >100*	NA	NA	0 0.03 >100	0.01 0.67 >100*	0.34 0.88 >100*	0.20 0.39 100*	0.01 0.31 >100*
	Mountain big sagebrush	5, 7, 10, 11	6,453,614	7,354,558	0.87 0.28 -67*	0.44 0.84 93*	0.25 0.71 >100*	4.43 2.73 -38*	3.18 1.60 -50*	9.06 6.07 -33*	1.26 0.80 -36*	NA	1.32 1.05 -20*	8.49 20.76 >100*	5.94 3.14 -47*	5.46 0.17 -97*	6.02 6.50 8
	Salt desert shrub	5, 7, 10, 11	2,153,274	247	NA	NA	NA	10.60 0 -100*	Trace	0.55 0 -100*	NA	NA	NA	4.23 0 -100*	0.64 0 -100*	NA	0.52 0 -100*
	Chokecherry-Serviceberry-Rose*	2, 3, 4, 5, 6, 11, 12	43,487	1,977	0.28 0 -100*	0.08 0.06 -27	0.01 0 -100	Trace	0.01 0 -100	NA	NA	NA	NA	Trace	0.21 0 -100*	0.02 0 -100	0.01 0 -100
	Big sagebrush*	5, 7, 10, 11	3,451,547	1,448,280	0.08 0 -100*	0.80 0.64 -20*	NA	0.37 0.27 -28*	8.97 3.48 -61*	0.04 0.02 -45	0.16 0 -100*	NA	Trace	5.47 2.57 -53*	1.48 0.68 -54*	0.19 0 -100*	0.12 0.06 -47*
Open Tall Shrub	Shrub or herb-Tree regen	3, 5	5,930	47,439	0.02 0.29 >100*	0 0.47 >100*	0.01 0.29 >100*	NA	0.02 0.01 -67	NA	Trace	NA	NA	NA	NA	NA	NA
	Chokecherry-Serviceberry-Rose	2, 3, 4, 5, 6, 11, 12	10,871	30,142	0 0.29 >100*	0 0.02 >100	0 0.01 >100	Trace	0 0.01 >100	NA	NA	NA	NA	NA	0.07 0.10 42	0.07 0 -100*	Trace
Closed Tall Shrub	Shrub wetlands*	3, 5, 6, 7, 12	107,734	34,344	0.01 0.02 100	0.09 0.06 -25	0.27 0.10 -62*	0.11 Trace -98*	0.17 0.11 -36*	0.12 0 -100*	Trace	NA	0.27 0 -100*	0 0.01 >100	Trace	0.17 0 -100*	Trace

[1] Terrestrial Families from Wisdom et al. (In press) for which the Cover Type/Structural Stage combinations serves as source habitat for at least one terrestrial vertebrate species within the Family.
[2] Historical and current acres computed from 1 square kilometer (247 acre) pixels within the Basin, which includes the Northwest Forest Plan, Nevada, Utah, and Wyoming portions, but excludes the Greater Yellowstone Ecosystem portion.
[3] Ecological Reporting Units:

1 - Northern Cascades
2 - Southern Cascades
3 - Upper Klamath
4 - Northern Great Basin
5 - Columbia Plateau
6 - Blue Mountains
7 - Northern Glaciated Mountains
8 - Lower Clark Fork
9 - Upper Clark Fork
10 - Owyhee Uplands
11 - Upper Snake
12 - Snake Headwaters
13 - Central Idaho Mountains

[4] NA = Not applicable; no acres detected at the broad scale; Trace = Less than or equal to 0.004 percent at the broad scale.

Source: Appendix 1, Table 4 in Wisdom et al. (In press).